

ROAD CUTS TO BE RESTORED AS PER CITY OF HAMILTON STD. RD-100.01 AND RD-100.02. EXISTING ROAD TO BE RESURFACED c/w LAP JOINT. GRADES TO MATCH EXISTING UNLESS OTHERWISE NOTED AND LINE PAINTING TO BE RESTORED.

CONNECT PROPOSED 300mm ϕ SAN. TO EX. 300mm ϕ COMBINED SEWER PER CITY STANDARD DRAWING WM-200.01.

CONNECT TO EX. COMBINED SEWER WITH PROPOSED MH1 TO BE INSTALLED USING "DOG HOUSE" METHOD (TO BE COMPLETE WITH EXTERNAL DROP STRUCTURE PER OPSD 1003.010.)

ROAD CUTS TO BE RESTORED AS PER CITY OF HAMILTON STD. RD-100.01 AND RD-100.02. EXISTING ROAD TO BE RESURFACED c/w LAP JOINT. GRADES TO MATCH EXISTING UNLESS OTHERWISE NOTED AND LINE PAINTING TO BE RESTORED.

VALVE PER WM-202

CONNECT PROPOSED 300mm ϕ WTM. TO EX. 300mm ϕ WTM WITH CUT IN TEE, SLEEVE & VALVE PER CITY OF HAMILTON STANDARD DWG WM-207.04

CAUTION: CROSSING MAINTAIN MIN 0.5m VERTICAL CLEARANCE BETWEEN EXISTING COMBINED SEWER & WTM. WTM. INV.=99.70 \pm EX. SEWER O.B.V.=98.47 \pm



CAUTION: CROSSING MAINTAIN MIN 0.5m VERTICAL CLEARANCE BETWEEN STM & WTM. STM INV.=100.90 EX. WTM O.B.V.=100.40

LEGEND OF EXISTING FEATURES

- SITE BOUNDARY
- - - EXISTING LOT LINE
- - - EXISTING SANITARY SEWER
- - - EXISTING WATERMAIN
- - - EXISTING STORM SEWER
- - - EXISTING CURB
- - - EXISTING BUILDING
- - - EXISTING FENCE
- - - EXISTING U/G HYDRO
- - - EXISTING RETAINING WALL
- - - EXISTING EMBANKMENT (SLOPE AS NOTED)
- ▲ EXISTING MAN DOOR

LEGEND OF PROPOSED FEATURES

- (TOP) (BOTTOM) 3:1 EMBANKMENT (SLOPE AS NOTED)
- MH 14.6m-200mm ϕ SAN @ 1.5%
MH 21.3m-300mm ϕ STM @ 1.3%
200mm ϕ WTM HYD. SET. TEE WATERMAIN
- X₁ SEWER CROSSING (REFER TO CROSSING CHART)
- ▲ PROPOSED BUILDING
- ▲ MAN DOOR
- ▲ OVERHEAD DOOR
- ▲ FENCE
- ▲ CONCRETE CURB
- ▲ RETAINING WALL
- ▲ LIMIT OF UNDERGROUND PARKING
- ▲ OVERHANG/BALCONY
- ▲ LIMIT OF ROOF
- ▲ SHALLOW PIPE INSULATION (SEE DETAIL)
- IP INSPECTION PORT



GEODETIC BM ELEV.=111.521m
2-18, TOWNSHIP: CITY OF HAMILTON
No. 385 KING STREET WEST 30m WEST OF RAY STREET
No. 18.

SITE BENCHMARK ELEV.=105.167m
CUT STAR ON SOUTH SIDE OF MARKET STREET.

NOTE TO CONTRACTOR :
DO NOT SCALE DRAWINGS.
CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO THE ENGINEER BEFORE PROCEEDING WITH THE WORK.
ALL DRAWINGS REMAIN THE PROPERTY OF THE ENGINEER AND SHALL NOT BE REPRODUCED OR REUSED WITHOUT THE ENGINEER'S WRITTEN PERMISSION.
THE OWNER/ARCHITECT/CONTRACTOR IS ADVISED THAT M.T.E. CONSULTANTS INC. CANNOT CERTIFY ANY COMPONENT OF THE SITE WORKS NOT INSPECTED DURING CONSTRUCTION. IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO NOTIFY M.T.E. CONSULTANTS INC. PRIOR TO COMMENCEMENT OF CONSTRUCTION TO ARRANGE FOR INSPECTION.

8.			
7.			
6.			
5.			
4.			
3.			
2.			
1.	ISSUED FOR OPA/ZBA	OPB	2021-12-13
No.	REVISION	BY	DATE

MTE
Engineers | Scientists | Surveyors
(905) 639-2552 www.mte85.com

LICENSED PROFESSIONAL ENGINEER
G.P. BERENYI
100058712
2021-12-13
PROVINCE OF ONTARIO
NOT FOR CONSTRUCTION

CLIENT
HAMILTON QUEEN & MARKET INC.

PROJECT
125 NAPIER STREET
125 NAPIER ST & 55 QUEEN ST N HAMILTON, ON

DRAWING
SITE SERVICING PLAN

Project Manager	M.GOJSIC	Project No.	43629-200
Design By	MXM	Checked By	KRR
Drawn By	WML/LMB	Checked By	KRR
Surveyed By	OTHERS	Drawing No.	
Date	Apr.23/18		C2.2
Scale	1:250	Sheet 2 of 3	