



Record of Site Condition
Under Part XV.1 of the Environmental Protection Act

Summary

Record of Site Condition Number	224178
Date Filed to Environmental Site Registry	2018/02/01
Certification Date	2017/04/24
Current Property Use	Industrial
Intended Property Use	Residential
Certificate of Property Use Number	No CPU
Applicable Site Condition Standards	Full Depth Generic Site Conditions Standard, with Non-potable Ground Water, Medium and Fine Textured Soil, for Residential property use
Property Municipal Address	17 EWEN ROAD, HAMILTON, ON, L8S 3C3

Notice to Readers Concerning Due Diligence

This record of site condition (RSC) has been filed in the Environmental Site Registry to which the public has access and which contains a notice advising users of the Environmental Site Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Environmental Site Registry.

Contents of this Record of Site Condition

This RSC consists of this document which is available to be printed directly from the Environmental Site Registry as well as all supporting documentation indicated in this RSC to have been submitted in electronic format to the Ministry of the Environment and Climate Change.

Part 1: Property Ownership, Property Information and Owner's Certifications

Information about the owner who is submitting or authorizing the submission of the record of site condition

Owner name	17 EWEN (HAMILTON) CORP.
Owner type	Firm, corporation or partnership
Authorized person	PAUL KEMPER
Mailing address	300, 611 TRADEWIND DRIVE, ANCASTER Ontario, Canada
Postal Code	L9G 4V5
Phone	(905) 624-4100
Fax	
Email address	pkemper@coletara.com

Information about the agent

Agent name	PAUL DOUGLAS REW
Mailing address	Post Box 509 60 TORONTO ROAD, FLESHERTON Ontario, Canada
Postal Code	N0C 1E0
Phone	(519) 924-0003
Fax	(519) 924-0004
Email address	paulrew@rubiconenviro.com

Record of site condition property location information

Municipal address(es)	17 EWEN ROAD, HAMILTON, ON L8S 3C3
Municipality	Hamilton
Legal description	See attached Lawyer's letter
Assessment roll number(s)	251801002104800
Property identifier number(s)	17457-0036 (LT)

Record of site condition property geographical references

Coordinate system	UTM
Datum	NAD 83
Zone	17
Easting	586,765.00
Northing	4,789,854.00

Record of site condition property use information

The following types of property uses are defined by the Regulation: Agricultural or other use, Commercial use, Community use, Industrial use, Institutional use, Parkland use, and Residential use.

Current property use	Industrial
Intended property use	Residential
Certificate of property use has been issued under section 168.6 of the Environmental Protection Act	No

**Please see the signed statements of property owner, or agent,
or receiver at the end of this record of site condition**

The rest of this page has been left intentionally blank

Part 2: List of reports, summary of site conditions and qualified person's statements and certifications

Qualified person's information

Name	PAUL DOUGLAS REW
Type of licence under Professional Engineers Act	Licence
Licence number	90240946
Qualified person's employer name	RUBICON ENVIRONMENTAL (2008) INC
Mailing address	Post Box 509 60 TORONTO ROAD, FLESHERTON Ontario, N0C 1E0 Canada
Phone	(519) 924-0003
Fax	(519) 924-0004
Email address	paulrew@rubiconenviro.com

Municipal information

Local or single-tier municipality	Hamilton
-----------------------------------	----------

Ministry of the Environment and Climate Change District Office

District office	Hamilton District Office
District office address	9th floor, 119 King St. W., Hamilton ON L8P 4Y7

Phase one environmental site assessment report

Document used as the phase one environmental site assessment report and updates in submitting the record of site condition for filing

The date the last work on all of the records review, interviews and site reconnaissance components of the phase one environmental site assessment was done (refer to clause 28(1) (a) of O. Reg. 153/04)	(yyyy/mm/dd) 2017-03-04
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------

Type of report	Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Phase one environmental site assessment	Phase I ESA - 17 Ewen Road, Hamilton, Ontario	2017-03-06	Paul Rew, P. Eng. Q.P.	RUBICON ENVIRONMENTAL (2008) INC.

Reports and other documents related to the phase one environmental site assessment

Reports and other documents relied upon in certifying the information set out in section 10 of Schedule A or otherwise used in conducting the phase one environmental site assessment

Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
N/A			

Phase two environmental site assessment report

Document used as the phase two environmental site assessment report and updates in submitting the record of site condition for filing

The date the last work on all of the planning of the site investigation and conducting the site investigation components of the phase two environmental site assessment was done (refer to clause 33.5(1)(a) of O. Reg. 153/04)	(yyyy/mm/dd) 2017-05-26
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------

Type of report	Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
Phase two environmental site assessment	Phase II ESA - 17 Ewen Road, Hamilton, Ontario	2017-05-30	Paul Rew P. Eng. Q.P.	RUBICON ENVIRONMENTAL (2008) INC.

Reports and other documents related to the phase two environmental site assessment

Reports and other documents relied upon in making any certifications in the record of site condition for the purposes of Part IV of Schedule A or otherwise used in conducting the phase two environmental site assessment

Report title	Date of report (yyyy/mm/dd)	Author of report	Name of consulting company
N/A			

Environmental condition

Section 41 applies?	No
Section 43.1 applies?	No

Site condition information

Certification date (yyyy/mm/dd)	2017/04/24
Total area of record of site condition property (in hectares)	0.42800
Number of any previously filed record of site condition that applies to any part of the record of site condition property	
Number of any previously filed transition notice that applies to any part of the record of site condition property	
Soil texture	Medium and fine
Assessment/restoration approach	Full depth generic
Site investigation includes the investigation, sampling and analysis of ground water?	Yes
Is there soil present that is sufficient to investigate, sample and analyze soil on, in or under the property in accordance with s. 6, Schedule E of O.Reg. 153/04?	Yes
Site investigation includes the investigation, sampling and analysis of soil on, in or under the property which is used in the record of site condition?	Yes
Name of the laboratory used to analyze any samples collected of soil, ground water or sediment	ALS ENVIRONMENTAL LABORATORY
Ground water condition (potable, non-potable)	Non-potable
Applicable site condition standard	TABLE 3
Local or single-tier municipality non-potable written notification date	2017/11/02

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards

Measured concentration for contaminants in soil

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
1	Benzene	<	0.0068	0.17	µg/g
2	Ethylbenzene	<	0.018	15	µg/g
3	Toluene	<	0.08	6	µg/g
4	Xylene Mixture	<	0.05	25	µg/g
5	Barium		94.3	390	µg/g
6	Beryllium	<	0.5	5	µg/g
7	Boron (total)		6.6	120	µg/g
8	Cadmium	<	0.5	1.2	µg/g
9	Chromium Total		20.9	160	µg/g
10	Cobalt		8.1	22	µg/g
11	Copper		27.5	180	µg/g
12	Lead		8.8	120	µg/g
13	Molybdenum	<	1	6.9	µg/g
14	Nickel		19	130	µg/g
15	Silver	<	0.2	25	µg/g
16	Thallium	<	0.5	1	µg/g
17	Uranium	<	1	23	µg/g
18	Vanadium		20	86	µg/g
19	Zinc		45.3	340	µg/g
20	Antimony	<	1	7.5	µg/g
21	Arsenic		3.7	18	µg/g
22	Selenium	<	1	2.4	µg/g
23	Acenaphthene	<	0.05	58	µg/g
24	Acenaphthylene	<	0.05	0.17	µg/g
25	Anthracene	<	0.05	0.74	µg/g
26	Benz[a]anthracene	<	0.05	0.63	µg/g
27	Benzo[a]pyrene	<	0.05	0.3	µg/g
28	Benzo[b]fluoranthene	<	0.05	0.78	µg/g
29	Benzo[ghi]perylene	<	0.05	7.8	µg/g
30	Benzo[k]fluoranthene	<	0.05	0.78	µg/g
31	Chrysene	<	0.05	7.8	µg/g
32	Dibenz[a h]anthracene	<	0.05	0.1	µg/g
33	Fluoranthene	<	0.05	0.69	µg/g
34	Fluorene	<	0.05	69	µg/g
35	Indeno[1 2 3-cd]pyrene	<	0.05	0.48	µg/g

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards

Measured concentration for contaminants in soil

Continued from previous page....

Contaminant name	Maximum concentration	Applicable site condition	Unit of measure
36 Methlynaphthalene, 2-(1-) ***	< 0.042	3.4	µg/g
37 Naphthalene	< 0.05	0.75	µg/g
38 Phenanthrene	< 0.05	7.8	µg/g
39 Pyrene	< 0.05	78	µg/g
40 Petroleum Hydrocarbons F1****	< 5	65	µg/g
41 Petroleum Hydrocarbons F2	< 10	150	µg/g
42 Petroleum Hydrocarbons F3	< 50	1300	µg/g
43 Petroleum Hydrocarbons F4	< 50	5600	µg/g
44 Bromodichloromethane	< 0.05	13	µg/g
45 Bromoform	< 0.05	0.26	µg/g
46 Dibromochloromethane	< 0.05	9.4	µg/g
47 Acetone	< 0.5	28	µg/g
48 Bromomethane	< 0.05	0.05	µg/g
49 Carbon Tetrachloride	< 0.05	0.12	µg/g
50 Chlorobenzene	< 0.05	2.7	µg/g
51 Chloroform	< 0.05	0.18	µg/g
52 Dichlorobenzene, 1,2-	< 0.05	4.3	µg/g
53 Dichlorobenzene, 1,3-	< 0.05	6	µg/g
54 Dichlorobenzene, 1,4-	< 0.05	0.097	µg/g
55 Dichlorodifluoromethane	< 0.05	25	µg/g
56 Dichloroethane, 1,1-	< 0.05	11	µg/g
57 Dichloroethane, 1,2-	< 0.05	0.05	µg/g
58 Dichloroethylene, 1,1-	< 0.05	0.05	µg/g
59 Dichloroethylene, 1,2-cis-	< 0.05	30	µg/g
60 Dichloroethylene, 1,2-trans-	< 0.05	0.75	µg/g
61 Dichloropropane, 1,2-	< 0.05	0.085	µg/g
62 Dichloropropene, 1,3-	< 0.042	0.083	µg/g
63 Ethylene dibromide	< 0.05	0.05	µg/g
64 Hexane (n)	< 0.05	34	µg/g
65 Methyl Ethyl Ketone	< 0.05	44	µg/g
66 Methyl Isobutyl Ketone	< 0.05	4.3	µg/g
67 Methyl tert-Butyl Ether (MTBE)	< 0.05	1.4	µg/g
68 Methylene Chloride	< 0.05	0.96	µg/g
69 Styrene	< 0.05	2.2	µg/g
70 Tetrachloroethane, 1,1,1,2-	< 0.05	0.05	µg/g

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards

Measured concentration for contaminants in soil

Continued from previous page....

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
71	Tetrachloroethane, 1,1,2,2-	<	0.05	0.05	µg/g
72	Tetrachloroethylene	<	0.05	2.3	µg/g
73	Trichloroethane, 1,1,1-	<	0.05	3.4	µg/g
74	Trichloroethane, 1,1,2-	<	0.05	0.05	µg/g
75	Trichloroethylene	<	0.01	0.52	µg/g
76	Trichlorofluoromethane	<	0.05	5.8	µg/g
77	Vinyl Chloride	<	0.02	0.022	µg/g
78	Boron (Hot Water Soluble)*		0.18	1.5	µg/g
79	Chromium VI		0.2	10	µg/g
80	Electrical Conductivity		0.513	0.7	mS/cm
81	Mercury		0.015	1.8	µg/g
82	Sodium Adsorption Ratio		4.09	5	

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)

Ground water

Contaminant name	Maximum concentration		Applicable site condition	Unit of measure
1 Chloride		42,000	2300000	µg/L
2 Chromium VI		1.3	140	µg/L
3 Cyanide (CN-)	<	2	66	µg/L
4 Mercury	<	0.01	2.8	µg/L
5 Acetone	<	30	130000	µg/L
6 Bromomethane	<	0.5	56	µg/L
7 Carbon Tetrachloride	<	0.2	8.4	µg/L
8 Chlorobenzene	<	0.5	630	µg/L
9 Chloroform	<	1	22	µg/L
10 Dichlorobenzene, 1,2-	<	0.5	9600	µg/L
11 Dichlorobenzene, 1,3-	<	0.5	9600	µg/L
12 Dichlorobenzene, 1,4-	<	0.5	67	µg/L
13 Dichlorodifluoromethane	<	2	4400	µg/L
14 Dichloroethane, 1,1-	<	0.5	3100	µg/L
15 Dichloroethane, 1,2-	<	0.5	12	µg/L
16 Dichloroethylene, 1,1-	<	0.5	17	µg/L
17 Dichloroethylene, 1,2-cis-	<	0.5	17	µg/L
18 Dichloroethylene, 1,2-trans-	<	0.5	17	µg/L
19 Dichloropropane, 1,2-	<	0.5	140	µg/L
20 Dichloropropene, 1,3-	<	0.5	45	µg/L
21 Ethylene dibromide	<	0.2	0.83	µg/L
22 Hexane (n)	<	0.5	520	µg/L
23 Methyl Ethyl Ketone	<	20	1500000	µg/L
24 Methyl Isobutyl Ketone	<	20	580000	µg/L
25 Methyl tert-Butyl Ether (MTBE)	<	2	1400	µg/L
26 Methylene Chloride	<	5	5500	µg/L
27 Styrene	<	0.5	9100	µg/L
28 Tetrachloroethane, 1,1,1,2-	<	0.5	28	µg/L
29 Tetrachloroethane, 1,1,2,2-	<	0.5	15	µg/L
30 Tetrachloroethylene	<	0.5	17	µg/L
31 Trichloroethane, 1,1,1-	<	0.5	6700	µg/L
32 Trichloroethane, 1,1,2-	<	0.5	30	µg/L
33 Trichloroethylene	<	0.5	17	µg/L
34 Trichlorofluoromethane	<	5	2500	µg/L
35 Vinyl Chloride	<	0.5	1.7	µg/L

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)

Ground water

Continued from previous page....

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
36	Bromodichloromethane	<	2	85000	µg/L
37	Bromoform	<	5	770	µg/L
38	Dibromochloromethane	<	2	82000	µg/L
39	Petroleum Hydrocarbons F1****	<	25	750	µg/L
40	Petroleum Hydrocarbons F2	<	100	150	µg/L
41	Petroleum Hydrocarbons F3		250	500	µg/L
42	Petroleum Hydrocarbons F4		310	500	µg/L
43	Acenaphthene		0.034	1700	µg/L
44	Acenaphthylene	<	0.02	1.8	µg/L
45	Anthracene		0.049	2.4	µg/L
46	Benz[a]anthracene		0.114	4.7	µg/L
47	Benzo[a]pyrene		0.108	0.81	µg/L
48	Benzo[b]fluoranthene		0.138	0.75	µg/L
49	Benzo[ghi]perylene		0.063	0.2	µg/L
50	Benzo[k]fluoranthene		0.143	0.4	µg/L
51	Chrysene		0.113	1	µg/L
52	Dibenz[a h]anthracene	<	0.02	0.52	µg/L
53	Fluoranthene		0.313	130	µg/L
54	Fluorene		0.025	400	µg/L
55	Indeno[1 2 3-cd]pyrene		0.069	0.2	µg/L
56	Methlynaphthalene, 2-(1-) ***	<	0.028	1800	µg/L
57	Naphthalene	<	0.05	6400	µg/L
58	Phenanthrene		0.262	580	µg/L
59	Pyrene		0.249	68	µg/L
60	Sodium		56,000	2300000	µg/L
61	Antimony		0.11	20000	µg/L
62	Arsenic		0.58	1900	µg/L
63	Selenium		6.11	63	µg/L
64	Barium		97.4	29000	µg/L
65	Beryllium	<	0.1	67	µg/L
66	Boron (total)		105	45000	µg/L
67	Cadmium		0.015	2.7	µg/L
68	Chromium Total		1.13	810	µg/L
69	Cobalt	<	0.1	66	µg/L
70	Copper		1.27	87	µg/L

...Continued on next page

Table 1 – Maximum contaminant concentrations compared to applicable site condition standards (Continued)

Ground water

Continued from previous page....

Contaminant name		Maximum concentration		Applicable site condition	Unit of measure
71	Lead		0.128	25	µg/L
72	Molybdenum		0.776	9200	µg/L
73	Nickel	<	0.5	490	µg/L
74	Silver		0.05	1.5	µg/L
75	Thallium		0.017	510	µg/L
76	Uranium		1.02	420	µg/L
77	Vanadium	<	0.5	250	µg/L
78	Zinc		7.8	1100	µg/L
79	Benzene	<	0.5	430	µg/L
80	Ethylbenzene	<	0.5	2300	µg/L
81	Toluene	<	0.5	18000	µg/L
82	Xylene Mixture	<	0.5	4200	µg/L

Remedial action and mitigation

Remediated soils

Estimated quantities of the soil, if any, originating at and remaining on the record of site condition property that have been remediated, at a location either on or off the property, to reduce the concentration of contaminants in the soil. Indicate the remediation process or processes used and the estimated amount of soil remediated by each identified process.

Soil remediation process	Estimated quantity of soil (in ground-volume in cubic metres)

Description of remediation

Description of any action taken to reduce the concentration of contaminants (including soil removals) on, in or under the record of site condition property.

Soil or sediment removed and not returned

Estimated quantities of soil or sediment, if any, removed from and not returned to the record of site condition property.

Estimated quantity of soil (in ground-volume in cubic metres)	
Estimated quantity of sediment (in ground-volume in cubic metres)	

Soil brought to the property

Estimated quantity of the soil, if any, being brought from another property to and deposited at the record of site condition property, not including any soil that may have originated at but been remediated off the record of site condition property and that is identified in section 28 of Schedule A.

Estimated quantity of soil brought to the property (in ground-volume in cubic metres)	
---------------------------------------------------------------------------------------	--

Ground water control or treatment measures

Ground water control or treatment measures that were required for the record of site condition property prior to the certification date for the purpose of submitting the record of site condition for filing.

Ground water control or treatment measures that are required for the record of site condition property after the certification date.

Estimated volume of ground water, if any, removed from and not returned to the record of site condition property.

Estimated volume of ground water (in litres)	<input type="text"/>
----------------------------------------------	----------------------

Other activities including risk management measures

Constructed works that prior to the certification date for the purpose of submitting the record of site condition for filing, were required to control or otherwise mitigate the release or movement of known existing contaminants at the record of site condition property.

Constructed works that after the certification date, are required to control or otherwise mitigate the release or movement of known existing contaminants at the record of site condition property.

Monitoring or Maintenance

Soil Management Measures

Soil monitoring requirements or any requirements for care, maintenance or replacement or any monitoring or control works for known existing contaminants, if any, on the record of site condition property, after the certification date.

Ground water management measures

Ground water monitoring requirements or requirements for care, maintenance or replacement of any monitoring or control works or known existing contaminants, if any, on the record of site condition property, after the certification date.

Remediated or removed soil, sediment or ground water from near property boundary

Has any soil, sediment or ground water at the record of site condition property that is or was located within 3 metres of the record of site condition property boundary been remediated or removed for the purpose of remediation?

No

D Qualified person's statements and certifications

As the qualified person, I certify that:

A phase one environmental site assessment of the record of site condition property, which includes the evaluation of the information gathered from a records review, site reconnaissance, interviews, a report and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

A phase two environmental site assessment of the record of site condition property, which includes the evaluation of the information gathered from planning and conducting a site investigation, a report, and any updates required, has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

The information represents the site conditions at the sampling points at the time of sampling only and the conditions between and beyond the sampling points may vary.

As of 2017/04/24, in my opinion, based on the phase one environmental site assessment and the phase two environmental site assessment, and any confirmatory sampling, there is no evidence of any contaminants in the soil, ground water or sediment on, in or under the record of site condition property that would interfere with the type of property use to which the record of site condition property will be put, as specified in the record of site condition.

Ground water sampling has been conducted in accordance with the regulation by or under the supervision of a qualified person as required by the regulation.

I have, within the six months immediately before the submission of this record of site condition, given written notice of intention to apply non-potable ground water site condition standards to the clerk of the local municipality in which the property is located and the clerk of any upper-tier municipality in which the property is located.

As of 2017/04/24, in my opinion, based on the phase one and phase two environmental site assessments and any confirmatory sampling, the record of site condition property meets the applicable full depth generic site condition standards prescribed by section 37 of the regulation for all contaminants prescribed by the regulation in relation to the type of property use for which this record of site condition is filed, except for those contaminants (if any) specified in this record of site condition at Table 2, maximum contaminant concentrations compared to standards specified in a risk assessment.

As of 2017/04/24, the maximum known concentration of each contaminant in soil, sediment and ground water at the record of site condition property for which sampling and analysis has been performed is specified in this record of site condition at Table 1, maximum contaminant concentrations compared to applicable full depth generic site condition standards.

I am a qualified person and have the qualifications required by section 5 of the regulation.

I have in place an insurance policy that satisfies the requirements of section 7 of the regulation.

I acknowledge that the record of site condition will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.

The opinions expressed in this record of site condition are engineering or scientific opinions made in accordance with generally accepted principles and practices as recognized by members of the environmental engineering or science profession or discipline practising at the same time and in the same or similar location.

I do not hold and have not held and my employer RUBICON ENVIRONMENTAL (2008) INC does not hold and has not held a direct or indirect interest in the record of site condition property or any property which includes the record of site condition property and was the subject of a phase one or environmental site assessment or risk assessment upon which this record of site condition is based.

To the best of my knowledge, the certifications and statements in this part of the record of site condition are true as of 2017/04/24.

By signing this record of site condition, I make no express or implied warranties or guarantees.

By checking the boxes above, and entering my membership/licence number in this submission, I, PAUL DOUGLAS

By checking the boxes above, and entering my membership/licence number in this submission, I, PAUL DOUGLAS REW, a qualified person as defined in section 5 of O. Reg. 153/04 am, on 2017/12/19:

- a) signing this record of site condition submission as a qualified person; and
- b) making all certifications required as a qualified person for this record of site condition.

I agree

Additional documentation provided by property owner or agent

The following documents have been submitted to the Ministry of the Environment and Climate Change as part of the record of site condition

Certificate of status or equivalent for the owner
Authorization for agent to submit record of site condition for filing
Lawyer's letter consisting of a legal description of the property
Copy of any deed(s), transfer(s) or other document(s) by which the record of site condition property was acquired
A Current plan of survey
Area(s) of potential environmental concern
Table of current and past uses of the phase one property
Phase 2 conceptual site model
Owner or agent certification statements

As an agent acting on behalf of the owner of the RSC property:

1. I acknowledge that the RSC will be submitted for filing in the Environmental Site Registry, that records of site condition that are filed in the Registry are available for examination by the public and that the Registry contains a notice advising users of the Registry who have dealings with any property to consider conducting their own due diligence with respect to the environmental condition of the property, in addition to reviewing information in the Registry.
2. I have conducted reasonable inquiries to obtain all information relevant to this RSC, including information from the other current owners of the RSC property named in this part of the RSC and I have obtained all information relevant to this RSC of which I am aware.
3. I have disclosed all information referred to in paragraph 2 to any qualified person named in this RSC.
4. To my knowledge, the statements made in this part of the RSC are true as of December 19, 2017.
5. I have ensured that access to the entire property, including the phase one property, any phase two property and the RSC property, has been afforded to the qualified person and to persons supervised by the qualified person, for purposes of conducting the site reconnaissance.

I certify that I have been authorized by the owner of the RSC property to make the statements prescribed by this section on their behalf and that the owner of the RSC property has read and understands the statements being made on their behalf.

Name of the Agent: Mr. Paul D. Rew, P.Eng., Q.P.

Signature 

Date Signed December 19, 2017